

INDEX OF ARTICLES

| | |
|---|-----|
| Bird species in a Victorian coastal garden spanning eighteen years after the 'Ash Wednesday' bushfire on 16 February 1983 | 77 |
| Birds of Narran Lake Nature Reserve, New South Wales | 38 |
| Birds of prey, Injury and illness in wild Victorian | 85 |
| Bittern, Cinnamon, <i>Ixobrychus cinnamomeus</i> on Christmas Island: A new bird for Australian territory | 55 |
| Buzzard, Oriental Honey, <i>Pernis ptilorhyncus</i> on Christmas Island, Indian Ocean, Australia | 33 |
| Editorial: New visions for the journal | 1 |
| Falcon, Black, <i>Falco subniger</i> and Zebra Finch <i>Taeniopygia guttata</i> in northern Victoria, Dietary items of the | 21 |
| Flycatcher, Blue-and-white, <i>Cyanoptila cyanomelana</i> : First live record for Australia | 113 |
| Frogmouth, Plumed, <i>Podargus ocellatus plumiferus</i> and Marbled Frogmouth <i>P.o. marmoratus</i> , Breeding biology of the | 126 |
| Goshawk, Brown, <i>Accipiter fasciatus</i> attacking a Green Pygmy-goose <i>Nettapus pulchellus</i> over and in water | 105 |
| Honeyeater, Painted, <i>Grantiella picta</i> , First record of a, for Western Australia | 107 |
| Honeyeaters, Brown, <i>Lichmera indistincta</i> , Observations of nesting, at Willetton, Western Australia | 142 |
| Kite, Black, <i>Milvus migrans</i> , A successful extra-limital breeding record of the, south-west of Melbourne, Victoria | 17 |
| Kites, Square-tailed, breeding in northern coastal New South Wales: Post-fledging diet and behaviour | 94 |
| Lorikeets, Refugees and residents: Densities and habitat preferences of, in urban Melbourne | 2 |
| Notice: New Editorial Board member | 116 |
| Petrel, Jouanin's, <i>Bulweria fallax</i> in Australia | 69 |
| Pigeon, Crested, <i>Ocyphaps lophotes</i> (Temminck, 1822) and the Mallee Ringneck <i>Barnardius zonarius barnardi</i> (Vigors & Horsfield, 1827), The type localities of the | 117 |
| Pipit, Pechora, <i>Anthus gustavi</i> in Australia | 59 |
| Ravens, Forest, <i>Corvus tasmanicus</i> and an Australian Magpie <i>Gymnorhina tibicen</i> , Beach-foraging behaviour of, at Wilsons Promontory, Victoria | 24 |
| Reviews: <i>Birds: Their Habits and Skills</i> by G. Kaplan & L.J. Rogers .. | 110 |
| <i>Birds of Groote Eylandt, The</i> , by R.A. Noske & G.P. Brennan | 31 |
| <i>Handbook of the Birds of the World</i> , vol. 6 <i>Mousebirds to</i> <i>Hornbills</i> and vol. 7 <i>Jacamars to Woodpeckers</i> by J. del Hoyo, A. Elliott & J. Sargatal | 66 |
| Shrike, Brown, <i>Lanius cristatus</i> on Christmas Island, Indian Ocean .. | 139 |
| Stone-curlews, Beach, <i>Esacus neglectus</i> , A population census of, in New South Wales | 8 |
| Whistlers, Rufous, Seasonal changes in bill colour of female | 28 |

INDEX OF AUTHORS

| | |
|--|------------|
| Antos, M. | 21 |
| Beruldsen, G.R. | 126 |
| Carter, M. | 55, 59, 69 |
| Clarke, R.H. | 33 |
| Coate, K.H. | 142 |
| Debus, S. | 1 |
| Donato, D. | 31 |
| Fitzsimons, J.A. | 24 |
| Fitzsimons, J.A., Palmer, G.C., Antos, M.J. & White, J.G. | 2 |
| Hassell, C., Boyle, A., Blunt, D. & O'Connor, F. | 113 |
| Lansley, P.S., Watson, J. & Farnes, R.F. | 139 |
| Ley, A.J. | 38, 66 110 |
| Lutter, H., Dinnie, R. & Debus, S.J.S. | 94 |
| McAllan, I.A.W. | 117 |
| McDonald, P.G. | 17 |
| Reilly, P. | 77 |
| Rohweder, D.A. | 8 |
| Schoenjahn, J. | 107 |
| Scuffins, M. | 85 |
| Ward, M.J. & Smith, J.G. | 105 |
| Wieneke, J. | 28 |

INDEX OF PLATES

| | <i>Photographer</i> | <i>Plate</i> |
|--|---------------------|--------------|
| Bittern, Cinnamon: Christmas Island corpse, 11.3.2002 | M. Carter | 10 |
| Buzzard, Oriental Honey, Christmas Island, 10.12.2001 | R. Clarke | 6 |
| Cormorant, Little Pied, at nest | G.A. Cumming | 8 |
| Darter, Female, feeding chicks | G.A. Cumming | 7 |
| Eagle, Little, Juvenile, in care | M. Scuffins | 16 |
| Flycatcher, Blue-and-white, <i>Cyanoptila cyanomelana</i> , Broome, W.A., November 2002 | A. Boyle | 21 |
| Frogmouth, Plumed, Male on nest, Maiala National Park, Qld, October 1996: Cryptic pose | G.R. Beruldsen | 20 |
| —, —, —, —, October 2000: Relaxed pose | G.R. Beruldsen | 26 |
| Galah and Crested Pigeon, Panel of Dixson Collector's Chest (DG R4) State Library of NSW. Painter probably Joseph Lycett. | | 22 |
| Galahs by John W. Lewin. Rex Nan Kivell Collection NK 139/F (an2970531) | | 25 |
| Goshawk, Brown, Adult female, injured in a barbed-wire fence | M. Scuffins | 14 |
| Kite, Black, <i>Milvus migrans</i> , Katherine, N.T., October 1983 | M.J. Carter | 2 |
| —, Square-tailed, Adult, sunning, Bundaberg, Qld, spring 1998 | C.P. Barnes | 13 |
| —, —, Juvenile, northern coastal N.S.W., 13.12.2002: day 8 post-fledging | H. Lutter | 18 |
| —, —, —, —, 9.1.2003: week 5 (day 35) post-fledging | R. Dinnie | 17 |
| —, —, —, —, on adopted nest 14.1.2003: week 6 (day 40) post-fledging | H. Lutter | 19 |
| Lorikeet, Rainbow, <i>Trichoglossus haematodus</i> feeding | G.A. Cumming | 1 |
| Magpie, Australian, Gleaning by | J.A. Fitzsimons | 5 |
| Pigeons, Crested, by John W. Lewin. Rex Nan Kivell Collection NK 139/E (an2970424) | | 24 |
| Pipit, Pechora, Ashmore Reef, November 2001 | M. Carter | 11–12 |
| Raven, Forest, adult, Excavation made by | J.A. Fitzsimons | 4 |
| —, —, —, foraging amongst algae and seagrass | J.A. Fitzsimons | 3 |
| Ringnecks, Mallee, by John W. Lewin. Rex Nan Kivell Collection NK 139/C (an2970413) | | 23 |
| Sparrowhawk, Collared, Adult, broken wing of | M. Scuffins | 15 |
| Spoonbill, Yellow-billed, feeding young | G.A. Cumming | 9 |

INDEX OF BIRD SPECIES – COMMON NAMES

Each species is listed in this index only for the first time it is mentioned in each individual article.

| | | | |
|-------------------------------|------------|----------------------------|--------------------|
| Apostlebird | 50 | Crake, Australian Spotted | 46 |
| Avocet, Red-necked | 47 | Spotless | 51 |
| Babbler, Chestnut-crowned | 52 | Crow, Little | 52 |
| Grey-crowned * | 49 | Northwestern | 27 |
| Bee-eater, Rainbow | 48, 59 | Cuckoo, Black-eared | 48 |
| Bellbird, Crested | 49 | Fan-tailed | 48, 78 |
| Bittern, Black | 55 | Oriental | 59 |
| Cinnamon | 55, pl. 10 | Pallid | 48, 78 |
| Little | 44, 55 | Cuckoo-shrike, Black-faced | 50, 77, 101 |
| Schrenk's | 56 | Ground | 50 |
| Yellow | 56 | White-bellied | 50 |
| Blackbird, Common | 80 | Currawong, Grey | 80 |
| Black-Cockatoo, Yellow-tailed | 78 | Pied | 80 |
| Bonnet, Blue | 48 | Darter | pl. 7, 42 |
| Boobook, Southern | 48, 79, 88 | Dollarbird | 48, 99 |
| Bowerbird, Satin | 80 | Dotterel, Black-fronted | 47 |
| Spotted | 50 | Red-kneed | 47 |
| Bristlebird, Rufous | 79 | Dove, Bar-shouldered | 48 |
| Western | 83 | Diamond | 47 |
| Brolga | 46 | Peaceful | 47 |
| Bronze-Cuckoo, Horsfield's | 48, 78 | Duck, Australian Wood | 41 |
| Little | 59 | Blue-billed | 41 |
| Shining | 48, 79 | Freckled | 41 |
| Bronzewing, Brush | 78 | Musk | 41 |
| Common | 47, 78 | Pacific Black | 41, 105 |
| Budgerigar | 48, 77 | Pink-eared | 41 |
| Bustard, Australian | 46 | Eagle, Little | 33, 46, pl. 16, 90 |
| Butcherbird, Grey | 50, 80 | Wedge-tailed | 20, 46, 77, 90 |
| Pied | 50 | Egret, Cattle | 44, 57, 105 |
| Button-quail, Little | 46 | Eastern Reef | 59 |
| Red-chested | 51 | Great | 44, 57 |
| Buzzard, Barred Honey | 34 | Intermediate | 44 |
| Black-breasted | 51 | Little | 44 |
| Oriental Honey | pl. 6, 34 | Emu | 41 |
| Western Honey | 34 | Fairy-wren, Splendid | 48, 146 |
| Chat, Crimson | 49 | Superb | 79 |
| Orange | 49 | Variegated | 48 |
| White-fronted | 49, 80 | White-winged | 48 |
| Chough, White-winged | 50 | Falcon, Black | 21, 51, 90 |
| Cicadabird | 100 | Brown | 17, 21, 46, 86 |
| Cisticola, Golden-headed | 51 | Grey | 46 |
| Cockatiel | 48 | Peregrine | 46, 78, 88, 103 |
| Cockatoo, Gang-gang | 78 | Fantail, Grey | 50, 80, 102 |
| Major Mitchell's | 48 | Fieldwren, Striated | 79 |
| Sulphur-crested | 51, 78 | Figbird | 99 |
| Coot, Eurasian | 46 | Finch, Double-barred | 50, 102 |
| Corella, Little | 51 | Plum-headed | 52 |
| Long-billed | 78 | Red-browed | 80, 102 |
| Cormorant, Great | 44 | Zebra | 21, 50 |
| Little Black | 44 | Firetail, Diamond | 52 |
| Little Pied | pl. 8, 43 | | |
| Pied | 44 | | |

| | | | |
|----------------------------|---------------------------------|----------------------------|------------------------|
| Flycatcher, Blue-and-white | 113, pl. 21 | Ibis, Australian White | 44 |
| Restless | 50, 114 | Glossy | 44 |
| Satin | 77 | Straw-necked | 40 |
| White-tailed | 115 | Kestrel, Eurasian | 89 |
| Friarbird, Helmeted | 145 | Nankeen | 33, 46, 78, 88 |
| Little | 49 | Kingfisher, Sacred | 48, 59, 79 |
| Noisy | 49, 99 | King-Parrot, Australian | 78 |
| Frogmouth, Marbled | 126 | Kite, Black | 17, pl. 2, 44 |
| Papuan | 136 | Black-shouldered | 44, 78, 90 |
| Plumed | pl. 20, 126, pl. 26 | Brahminy | 100 |
| Tawny | 48, 126 | Square-tailed | pl. 13, 94, pl. 17–19 |
| Galah | 22, 48, 78, pl. 22, 119, pl. 25 | Whistling | 20, 46, 90 |
| Gerygone, Western | 49 | Kookaburra, Laughing | 48, 79 |
| Godwit, Bar-tailed | 46 | Lapwing, Banded | 47 |
| Black-tailed | 46 | Masked | 47, 78 |
| Goose, Magpie | 41 | Lorikeet, Little | 2 |
| Goshawk, Brown | 20, 46, 78, pl. 14, 90, 97, 105 | Musk | 2, 78, 124 |
| Grey | 97 | Purple-crowned | 2, 78 |
| Grassbird, Little | 51 | Rainbow | pl. 1, 2, 81 |
| Grebe, Australasian | 41 | Scaly-breasted | 2 |
| Great Crested | 41 | Magpie, Australian | 24, pl. 5, 50, 80, 119 |
| Hoary-headed | 41 | Magpie-lark | 50, 59, 80 |
| Greenshank, Common | 47 | Martin, Fairy | 50 |
| Gull, Silver | 47, 78 | Tree | 50 |
| Hardhead | 41 | Miner, Noisy | 145 |
| Harrier, Spotted | 86 | Yellow-throated | 49 |
| Swamp | 46, 90 | Mistletoebird | 50 |
| Heron, Malayan Night | 57 | Moorhen, Dusky | 46, 105 |
| Nankeen Night | 44 | Native-hen, Black-tailed | 46 |
| Striated | 57 | Needletail, White-throated | 79 |
| White-faced | 44, 105 | Nightjar, Spotted | 48 |
| White-necked | 44 | Oriole, Olive-backed | 99 |
| Hobby, Australian | 20, 46, 88, 100 | Owl, Barking | 48 |
| Honeyeater, Black | 49 | Barn | 79, 88 |
| Black-chinned | 107 | Masked | 52 |
| Blue-faced | 49 | Sooty | 130 |
| Brown | 49, 142 | Owlet-nightjar, Australian | 48 |
| Brown-headed | 49, 79 | Pardalote, Red-browed | 52 |
| Crescent | 79 | Spotted | 49, 79 |
| Fuscous | 29 | Striated | 49, 79 |
| New Holland | 79, 142 | Parrot, Blue-winged | 51, 78 |
| Painted | 52, 107 | Mulga | 48 |
| Regent | 145 | Red-rumped | 48 |
| Rufous-throated | 107, 146 | Red-winged | 48, 124 |
| Singing | 49, 79, 142 | Superb | 123 |
| Spiny-cheeked | 49 | Swift | 6 |
| Striped | 49 | Pelican, Australian | 44 |
| Tawny-crowned | 79 | Penguin, Little | 26 |
| White-eared | 79 | Petrel, Bonin | 75 |
| White-gaped | 145 | Bulwer's | 69 |
| White-naped | 79 | Fiji (MacGillivray's) | 71 |
| White-plumed | 29, 49 | Great-winged | 70 |
| White-throated | 107 | Jouanin's | 69 |
| Yellow-faced | 79 | Mascarene | 71 |
| Yellow-plumed | 29 | Tahiti | 70 |

| | | | |
|----------------------------|-------------------------|----------------------------|-----------------|
| Pigeon, Crested | 47, 117, pl. 22, pl. 24 | Starling, Common | 22, 29, 51, 80 |
| Squatter | 119 | Stilt, Black-winged | 47 |
| Pipit, Pechora | 59, pl. 11–12 | Stint, Red-necked | 47 |
| Red-throated | 59 | Stone-curlew, Beach | 8 |
| Richard's | 50, 60 | Stork, Black-necked | 44 |
| Plover, Red-capped | 47 | Storm-Petrel, Matsudaira's | 70 |
| Pratincole, Australian | 47 | Swinhoe's | 70 |
| Pygmy-goose, Green | 105 | Swallow, Barn | 59 |
| Quail, Stubble | 41 | Welcome | 50, 80 |
| Rail, Buff-banded | 59, 77, 105 | Swamphen, Purple | 46 |
| Lewin's | 77 | Swan, Black | 41 |
| Raven, Australian | 50 | Swift, Fork-tailed | 79 |
| Forest | 24, pl. 3–4, 77 | Teal, Chestnut | 41 |
| Little | 50, 77 | Grey | 41, 105 |
| Reed-Warbler, Clamorous | 51, 80 | Tern, Caspian | 47 |
| Ringneck, Australian | 48 | Gull-billed | 47 |
| Mallee | 117, pl. 23 | Whiskered | 47 |
| Robin, Eastern Yellow | 49, 80 | White-winged Black | 47 |
| Flame | 80 | Thornbill, Brown | 79 |
| Hooded | 49 | Buff-rumped | 79 |
| Red-capped | 49 | Chestnut-rumped | 49 |
| Scarlet | 80 | Inland | 49 |
| Rosella, Crimson | 78 | Striated | 79 |
| Pale-headed | 48 | Yellow | 49 |
| Sandpiper, Common | 51 | Yellow-rumped | 49, 79 |
| Curlew | 47 | Thrush, Island | 139 |
| Marsh | 47 | Treecreeper, Brown | 48 |
| Sharp-tailed | 47 | White-throated | 79 |
| Wood | 51 | Triller, White-winged | 50 |
| Scrubwren, White-browed | 79 | Tropicbird, White-tailed | 33 |
| Sea-Eagle, White-bellied | 46, 77 | Turtle-Dove, Spotted | 78 |
| Shearwater, Wedge-tailed | 70 | Wagtail, White | 52 |
| Shelduck, Australian | 41 | Willie | 50, 80, 119 |
| Shoveler, Australasian | 41 | Yellow | 59 |
| Shrike, Brown | 139 | Wattlebird, Little | 79 |
| Bull-headed | 140 | Red | 79, 142 |
| Isabelline (Rufous-tailed) | 139 | Western | 142 |
| Long-tailed | 140 | Weebill | 49 |
| Tiger | 140 | Whistler, Golden | 49, 80 |
| Shrike-thrush, Grey | 50, 80 | Rufous | 28, 50, 80, 101 |
| Silveryeye | 51, 80 | Whistling-Duck, Plumed | 41 |
| Snipe, Latham's | 46 | Whiteface, Southern | 52 |
| Painted | 119 | Winter, Jacky | 49 |
| Songlark, Brown | 51 | Woodswallow, Black-faced | 50 |
| Rufous | 51, 80 | Little | 50 |
| Sparrow, House | 29, 52, 80, 88 | Masked | 50 |
| Sparrowhawk, Collared | 46, pl. 15, 88 | White-breasted | 50 |
| Spinebill, Eastern | 80, 145 | White-browed | 50 |
| Spoonbill, Royal | 44 | | |
| Yellow-billed | 44, pl. 9 | | |

INDEX OF BIRD SPECIES – SCIENTIFIC NAMES

Each species is listed in this index only for the first time
it is mentioned in each individual article.

| | | | |
|-------------------------|---------------------------------|--------------------------|---------------------------------|
| <i>ACANTHAGENYS</i> | | <i>AYTHYA</i> | |
| <i>rufogularis</i> | 49 | <i>australis</i> | 41 |
| <i>ACANTHIZA</i> | | <i>BARNARDIUS</i> | |
| <i>apicalis</i> | 49 | <i>zonarius</i> | 48 |
| <i>chrysoorhoa</i> | 49, 79 | <i>zonarius barnardi</i> | 117, pl. 23 |
| <i>lineata</i> | 79 | <i>BIZIURA</i> | |
| <i>nana</i> | 49 | <i>lobata</i> | 41 |
| <i>pusilla</i> | 79 | <i>BULWERIA</i> | |
| <i>reguloides</i> | 79 | <i>bulwerii</i> | 69 |
| <i>uropygialis</i> | 49 | <i>fallax</i> | 69 |
| <i>ACANTHORHYNCHUS</i> | | <i>BUTORIDES</i> | |
| <i>tenuirostris</i> | 80, 145 | <i>striatus</i> | 57 |
| <i>ACCIPITER</i> | | <i>CACATUA</i> | |
| <i>cirrhocephalus</i> | 46, pl. 15, 88 | <i>galerita</i> | 51, 78 |
| <i>fasciatus</i> | 20, 46, 78, pl. 14, 90, 97, 105 | <i>leadbeateri</i> | 48 |
| <i>novaeollandiae</i> | 97 | <i>roseicapilla</i> | 22, 48, 78, pl. 22, 119, pl. 25 |
| <i>ACROCEPHALUS</i> | | <i>sanguinea</i> | 51 |
| <i>stentoreus</i> | 51, 80 | <i>tenuirostris</i> | 78 |
| <i>ACTITIS</i> | | <i>ACOMANTIS</i> | |
| <i>hypoleucos</i> | 51 | <i>flabelliformis</i> | 48, 78 |
| <i>AEGOTHELES</i> | | <i>CALAMANTHUS</i> | |
| <i>cristatus</i> | 48 | <i>fuliginosus</i> | 79 |
| <i>ALISTERUS</i> | | <i>CALIDRIS</i> | |
| <i>scapularis</i> | 78 | <i>acuminata</i> | 47 |
| <i>ANAS</i> | | <i>ferruginea</i> | 47 |
| <i>castanea</i> | 41 | <i>ruficollis</i> | 47 |
| <i>gracilis</i> | 41, 105 | <i>CALLOCEPHALON</i> | |
| <i>rhynchotis</i> | 41 | <i>fimbriatum</i> | 78 |
| <i>superciliosa</i> | 41, 105 | <i>CALYPTORHYNCHUS</i> | |
| <i>ANHINGA</i> | | <i>funereus</i> | 78 |
| <i>melanogaster</i> | pl. 7, 42 | <i>CERTHIONYX</i> | |
| <i>ANSERANAS</i> | | <i>niger</i> | 49 |
| <i>semipalmata</i> | 41 | <i>CHARADRIUS</i> | |
| <i>ANTHOCHAERA</i> | | <i>ruficapillus</i> | 47 |
| <i>carunculata</i> | 79, 142 | <i>CHENONETTA</i> | |
| <i>chrysoptera</i> | 79 | <i>jubata</i> | 41 |
| <i>lunulata</i> | 142 | <i>CHLAMYDERA</i> | |
| <i>ANTHUS</i> | | <i>maculata</i> | 50 |
| <i>cervinus</i> | 59 | <i>CHLIDONIAS</i> | |
| <i>gustavi</i> | 59, pl. 11–12 | <i>hybridus</i> | 47 |
| <i>novaeeseelandiae</i> | 50, 60 | <i>leucopterus</i> | 47 |
| <i>APHELOCEPHALA</i> | | <i>CHRYSOCOCCYX</i> | |
| <i>leucopsis</i> | 52 | <i>basalis</i> | 48, 78 |
| <i>APROSMICTUS</i> | | <i>lucidus</i> | 48, 79 |
| <i>erythropterus</i> | 48, 124 | <i>minutillus</i> | 59 |
| <i>APUS</i> | | <i>osculans</i> | 48 |
| <i>pacificus</i> | 79 | <i>CINCLORAMPHUS</i> | |
| <i>AQUILA</i> | | <i>cruralis</i> | 51 |
| <i>audax</i> | 20, 46, 77, 90 | <i>mathewsi</i> | 51, 80 |
| <i>ARDEA</i> | | <i>CIRCUS</i> | |
| <i>alba</i> | 44, 57 | <i>approximans</i> | 46, 90 |
| <i>ibis</i> | 44, 57, 105 | <i>assimilis</i> | 86 |
| <i>intermedia</i> | 44 | <i>CISTICOLA</i> | |
| <i>pacifica</i> | 44 | <i>exilis</i> | 51 |
| <i>ARDEOTIS</i> | | <i>CLIMACTERIS</i> | |
| <i>australis</i> | 46 | <i>picumnus</i> | 48 |
| <i>ARTAMUS</i> | | <i>COLLURICINCLA</i> | |
| <i>cinereus</i> | 50 | <i>harmonica</i> | 50, 80 |
| <i>leucorynchus</i> | 50 | <i>CONOPOPHILA</i> | |
| <i>minor</i> | 50 | <i>rufogularis</i> | 107, 146 |
| <i>personatus</i> | 50 | | |
| <i>superciliosus</i> | 50 | | |

| | | | |
|-------------------------|-----------------|------------------------|------------------------|
| <i>CORACINA</i> | | <i>EUROSTOPODUS</i> | |
| <i>maxima</i> | 50 | <i>argus</i> | 48 |
| <i>novaehollandiae</i> | 50, 77, 101 | <i>EURYSTOMUS</i> | |
| <i>papuensis</i> | 50 | <i>orientalis</i> | 48, 99 |
| <i>tenuirostris</i> | 100 | <i>FALCO</i> | |
| <i>CORCORAX</i> | | <i>berigora</i> | 17, 21, 46, 86 |
| <i>melanorhamphos</i> | 50 | <i>cenchroides</i> | 33, 46, 78, 88 |
| <i>CORMOBATES</i> | | <i>hypoleucos</i> | 46 |
| <i>leucophaeus</i> | 79 | <i>longipennis</i> | 20, 46, 88, 100 |
| <i>CORVUS</i> | | <i>peregrinus</i> | 46, 78, 88, 103 |
| <i>bennetti</i> | 52 | <i>subniger</i> | 21, 51, 90 |
| <i>caurinus</i> | 27 | <i>tinnunculus</i> | 89 |
| <i>coronoides</i> | 50 | <i>FULICA</i> | |
| <i>mellori</i> | 50, 77 | <i>atra</i> | 46 |
| <i>tasmanicus</i> | 24, pl. 3–4, 77 | <i>GALLINAGO</i> | |
| <i>COTURNIX</i> | | <i>hardwickii</i> | 46 |
| <i>pectoralis</i> | 41 | <i>GALLINULA</i> | |
| <i>CRATICUS</i> | | <i>tenebrosa</i> | 46, 105 |
| <i>nigrogularis</i> | 50 | <i>ventralis</i> | 46 |
| <i>torquatus</i> | 50, 80 | <i>GALLIRALLUS</i> | |
| <i>CUCULUS</i> | | <i>philippensis</i> | 59, 77, 105 |
| <i>pallidus</i> | 48, 78 | <i>GEOPELIA</i> | |
| <i>saturatus</i> | 59 | <i>cuneata</i> | 47 |
| <i>CYANOPTILA</i> | | <i>humeralis</i> | 48 |
| <i>cyanomelana</i> | 113, pl. 21 | <i>striata</i> | 47 |
| <i>CYGNUS</i> | | <i>GEOPHAPS</i> | |
| <i>atratus</i> | 41 | <i>scripta</i> | 119 |
| <i>CYORNIS</i> | | <i>GERYGONE</i> | |
| <i>concretus</i> | 115 | <i>fusca</i> | 49 |
| <i>DACELO</i> | | <i>GLOSSOPSITTA</i> | |
| <i>novaeguineae</i> | 48, 79 | <i>concinna</i> | 2, 78, 124 |
| <i>DASYORNIS</i> | | <i>porphyrocephala</i> | 2, 78 |
| <i>broadbenti</i> | 79 | <i>pusilla</i> | 2 |
| <i>longirostris</i> | 83 | <i>GORSACHIUS</i> | |
| <i>DENDROCYGNA</i> | | <i>melanolophus</i> | 57 |
| <i>eytoni</i> | 41 | <i>GRALLINA</i> | |
| <i>DICAEUM</i> | | <i>cyanoleuca</i> | 50, 59, 80 |
| <i>hirundinaceum</i> | 50 | <i>GRANTIELLA</i> | |
| <i>DROMAIUS</i> | | <i>picta</i> | 52, 107 |
| <i>novaehollandiae</i> | 41 | <i>GRUS</i> | |
| <i>EGRETTA</i> | | <i>rubicunda</i> | 46 |
| <i>garzetta</i> | 44 | <i>GYMNORHINA</i> | |
| <i>novaehollandiae</i> | 44, 105 | <i>tibicen</i> | 24, pl. 5, 50, 80, 119 |
| <i>sacra</i> | 59 | <i>HALIAEETUS</i> | |
| <i>ELANUS</i> | | <i>leucogaster</i> | 46, 77 |
| <i>axillaris</i> | 44, 78, 90 | <i>HALIASTUR</i> | |
| <i>ELSEYORNIS</i> | | <i>indus</i> | 100 |
| <i>melanops</i> | 47 | <i>sphenurus</i> | 20, 46, 90 |
| <i>ENTOMYZON</i> | | <i>HAMIROSTRA</i> | |
| <i>cyanotis</i> | 49 | <i>melanosternon</i> | 51 |
| <i>EOPSALTRIA</i> | | <i>HIERAAETUS</i> | |
| <i>australis</i> | 49, 80 | <i>morphnoides</i> | 33, 46, pl. 16, 90 |
| <i>EPHIPPIORHYNCHUS</i> | | <i>HIMANTOPUS</i> | |
| <i>asiaticus</i> | 44 | <i>himantopus</i> | 47 |
| <i>EPHIANURA</i> | | <i>HIRUNDAPUS</i> | |
| <i>albifrons</i> | 49, 80 | <i>caudacutus</i> | 79 |
| <i>aurifrons</i> | 49 | <i>HIRUNDO</i> | |
| <i>tricolor</i> | 49 | <i>ariel</i> | 50 |
| <i>ERYTHROGONYS</i> | | <i>neoxena</i> | 50, 80 |
| <i>cinctus</i> | 47 | <i>nigricans</i> | 50 |
| <i>ESACUS</i> | | <i>rustica</i> | 59 |
| <i>neglectus</i> | 8 | <i>IXOBRYCHUS</i> | |
| <i>EUDYPTULA</i> | | <i>cinnamomeus</i> | 55, pl. 10 |
| <i>minor</i> | 26 | <i>eurhythmus</i> | 56 |
| | | <i>flavicollis</i> | 55 |
| | | <i>minutus</i> | 44, 55 |
| | | <i>sinensis</i> | 56 |

| | | | |
|------------------------|-----------------------|------------------------|-------------------------|
| <i>LALAGE</i> | | <i>NETTAPUS</i> | |
| <i>sueurii</i> | 50 | <i>pulchellus</i> | 105 |
| <i>LANIUS</i> | | <i>NINOX</i> | |
| <i>bucephalus</i> | 140 | <i>connivens</i> | 48 |
| <i>cristatus</i> | 139 | <i>novaeseelandiae</i> | 48, 79, 88 |
| <i>isabellinus</i> | 139 | <i>NORTHIELLA</i> | |
| <i>schach</i> | 140 | <i>haematogaster</i> | 48 |
| <i>tigrinus</i> | 140 | <i>NYCTICORAX</i> | |
| <i>LARUS</i> | | <i>caledonicus</i> | 44 |
| <i>novaehollandiae</i> | 47, 78 | <i>NYMPHICUS</i> | |
| <i>LATHAMUS</i> | | <i>hollandicus</i> | 48 |
| <i>discolor</i> | 6 | <i>OCEANODROMA</i> | |
| <i>LICHENOSTOMUS</i> | | <i>matsudairae</i> | 70 |
| <i>chrysops</i> | 79 | <i>monorhis</i> | 70 |
| <i>fuscus</i> | 29 | <i>OCYPHAPS</i> | |
| <i>leucotis</i> | 79 | <i>lophotes</i> | 47, 117, pl. 22, pl. 24 |
| <i>ornatus</i> | 29 | <i>OREOICA</i> | |
| <i>penicillatus</i> | 29, 49 | <i>gutturialis</i> | 49 |
| <i>unicolor</i> | 145 | <i>ORIOLUS</i> | |
| <i>virescens</i> | 49, 79, 142 | <i>sagittatus</i> | 99 |
| <i>LICHMERA</i> | | <i>OXYURA</i> | |
| <i>indistincta</i> | 49, 142 | <i>australis</i> | 41 |
| <i>LIMOSA</i> | | <i>PACHYCEPHALA</i> | |
| <i>lapponica</i> | 46 | <i>pectoralis</i> | 49, 80 |
| <i>limosa</i> | 46 | <i>rufiventris</i> | 28, 50, 80, 101 |
| <i>LOPHOICTINIA</i> | | <i>PARDALOTUS</i> | |
| <i>isura</i> | pl. 13, 94, pl. 17–19 | <i>punctatus</i> | 49, 79 |
| <i>MALACORHYNCHUS</i> | | <i>rubricatus</i> | 52 |
| <i>membranaceus</i> | 41 | <i>striatus</i> | 49, 79 |
| <i>MALURUS</i> | | <i>PASSER</i> | |
| <i>cyaneus</i> | 79 | <i>domesticus</i> | 29, 52, 80, 88 |
| <i>lamberti</i> | 48 | <i>PELECANUS</i> | |
| <i>leucopterus</i> | 48 | <i>conspicillatus</i> | 44 |
| <i>splendens</i> | 48, 146 | <i>PERNIS</i> | |
| <i>MANORINA</i> | | <i>apivorus</i> | 34 |
| <i>flavigula</i> | 49 | <i>celebensis</i> | 34 |
| <i>melanocephala</i> | 145 | <i>ptilorhyncus</i> | pl. 6, 34 |
| <i>MEGALURUS</i> | | <i>PÉTROÏCA</i> | |
| <i>gramineus</i> | 51 | <i>goodenovii</i> | 49 |
| <i>MELANODRYAS</i> | | <i>multicolor</i> | 80 |
| <i>cucullata</i> | 49 | <i>phoenicea</i> | 80 |
| <i>MELITHREPTUS</i> | | <i>PHAETHON</i> | |
| <i>albogularis</i> | 107 | <i>lepturus</i> | 33 |
| <i>brevirostris</i> | 49, 79 | <i>PHALACROCORAX</i> | |
| <i>gularis</i> | 107 | <i>carbo</i> | 44 |
| <i>lunatus</i> | 79 | <i>melanoleucos</i> | pl. 8, 43 |
| <i>MELOPSITTACUS</i> | | <i>sulcirostris</i> | 44 |
| <i>undulatus</i> | 48, 77 | <i>varius</i> | 44 |
| <i>MEROPS</i> | | <i>PHAPS</i> | |
| <i>ornatus</i> | 48, 59 | <i>chalcoptera</i> | 47, 78 |
| <i>MICROECA</i> | | <i>elegans</i> | 78 |
| <i>fascinans</i> | 49 | <i>PHILEMON</i> | |
| <i>MILVUS</i> | | <i>buceroides</i> | 145 |
| <i>migrans</i> | 17, pl. 2, 44 | <i>citreogularis</i> | 49 |
| <i>MOTACILLA</i> | | <i>corniculatus</i> | 49, 99 |
| <i>alba</i> | 52 | <i>PHYLIDONYRIS</i> | |
| <i>flava</i> | 59 | <i>melanops</i> | 79 |
| <i>MYIAGRA</i> | | <i>novaehollandiae</i> | 79, 142 |
| <i>cyanoleuca</i> | 77 | <i>pyrrhoptera</i> | 79 |
| <i>inquieta</i> | 50, 114 | <i>PLATALEA</i> | |
| <i>NEOCHMIA</i> | | <i>flavipes</i> | 44, pl. 9 |
| <i>modesta</i> | 52 | <i>regia</i> | 44 |
| <i>temporalis</i> | 80, 102 | <i>PLATYCERCUS</i> | |
| <i>NEOPHEMA</i> | | <i>adscitus</i> | 48 |
| <i>chrysostoma</i> | 51, 78 | <i>elegans</i> | 78 |
| | | <i>PLECTORHYNCHA</i> | |
| | | <i>lanceolata</i> | 49 |

| | | | |
|-----------------------------|---------------------|------------------------|----------------|
| <i>PLEGADUS</i> | | <i>STERNA</i> | |
| <i>falcinellus</i> | 44 | <i>caspia</i> | 47 |
| <i>PODARGUS</i> | | <i>nilotica</i> | 47 |
| <i>ocellatus</i> | 126 | <i>STICTONETTA</i> | |
| <i>ocellatus plumiferus</i> | pl. 20, 126, pl. 26 | <i>naevosa</i> | 41 |
| <i>papuensis</i> | 136 | <i>STILTIA</i> | |
| <i>strigoides</i> | 48, 126 | <i>isabella</i> | 47 |
| <i>PODICEPS</i> | | <i>STREPERA</i> | |
| <i>cristatus</i> | 41 | <i>graculina</i> | 80 |
| <i>POLIOCEPHALUS</i> | | <i>versicolor</i> | 80 |
| <i>poliocephalus</i> | 41 | <i>STREPTOPELIA</i> | |
| <i>POLYTELIS</i> | | <i>chinensis</i> | 78 |
| <i>swainsonii</i> | 123 | <i>STRUTHIDEA</i> | |
| <i>POMATOSTOMUS</i> | | <i>cinerea</i> | 50 |
| <i>ruficeps</i> | 52 | <i>STURNUS</i> | |
| <i>temporalis</i> | 49 | <i>vulgaris</i> | 22, 29, 51, 80 |
| <i>PORPHYRIO</i> | | <i>TACHYBAPTUS</i> | |
| <i>porphyrio</i> | 46 | <i>novaeollandiae</i> | 41 |
| <i>PORZANA</i> | | <i>TADORNA</i> | |
| <i>fluminea</i> | 46 | <i>tadornoides</i> | 41 |
| <i>tabuensis</i> | 51 | <i>TAENIOPYGIA</i> | |
| <i>PSEPHOTUS</i> | | <i>bichenovii</i> | 50, 102 |
| <i>haematonotus</i> | 48 | <i>guttata</i> | 21, 50 |
| <i>varius</i> | 48 | <i>THRESKIORNIS</i> | |
| <i>PSEUDOBULWERIA</i> | | <i>molucca</i> | 44 |
| <i>rostrata</i> | 70 | <i>spinicollis</i> | 40 |
| <i>PTERODROMA</i> | | <i>TODIRAMPHUS</i> | |
| <i>aterrima</i> | 71 | <i>sanctus</i> | 48, 59, 79 |
| <i>hypoleuca</i> | 75 | <i>TRICHOGLOSSUS</i> | |
| <i>macgillivrayi</i> | 71 | <i>chlorolepidotus</i> | 2 |
| <i>macroptera</i> | 70 | <i>haematodus</i> | pl. 1, 2, 81 |
| <i>PTILONORHYNCHUS</i> | | <i>TRINGA</i> | |
| <i>violaceus</i> | 80 | <i>glareola</i> | 51 |
| <i>PUFFINUS</i> | | <i>nebularia</i> | 47 |
| <i>pacificus</i> | 70 | <i>stagnatilis</i> | 47 |
| <i>RALLUS</i> | | <i>TURDUS</i> | |
| <i>pectoralis</i> | 77 | <i>merula</i> | 80 |
| <i>RÉCURVIROSTRA</i> | | <i>poliocephalus</i> | 139 |
| <i>novaeollandiae</i> | 47 | <i>TURNIX</i> | |
| <i>RHIPIDURA</i> | | <i>pyrrhthorax</i> | 51 |
| <i>fuliginosa</i> | 50, 80, 102 | <i>velox</i> | 46 |
| <i>leucophrys</i> | 50, 80, 119 | <i>TYTO</i> | |
| <i>ROSTRATULA</i> | | <i>alba</i> | 79, 88 |
| <i>benghalensis</i> | 119 | <i>novaeollandiae</i> | 52 |
| <i>SERICORNIS</i> | | <i>tenebricosa</i> | 130 |
| <i>frontalis</i> | 79 | <i>VANELLUS</i> | |
| <i>SMICRONNIS</i> | | <i>miles</i> | 47, 78 |
| <i>brevirostris</i> | 49 | <i>tricolor</i> | 47 |
| <i>SPHECOTHERES</i> | | <i>XANTHOMYZA</i> | |
| <i>viridis</i> | 99 | <i>phrygia</i> | 145 |
| <i>STAGONOPLEURA</i> | | <i>ZOSTEROPS</i> | |
| <i>guttata</i> | 52 | <i>lateralis</i> | 51, 80 |